

A Note on the Quantization Mechanism within the Cold Big Bang Cosmology

Armando V. D. B. Assis

Departamento de Física, Universidade Federal de Santa Catarina — UFSC, Trindade 88040-900, Florianópolis, SC, Brazil.
E-mail: armando.assis@pgfsc.ufsc.br

In my paper [3], I obtain a Cold Big Bang Cosmology, fitting the cosmological data, with an absolute zero primordial temperature, a natural cutoff for the cosmological data to a vanishingly small entropy at a singular microstate of a comoving domain of the cosmological fluid. This solution resides on a negative pressure solution from the general relativity field equation and on a postulate regarding a Heisenberg indeterminacy mechanism related to the energy fluctuation obtained from the solution of the field equations under the Robertson-Walker comoving elementar line element context in virtue of the adoption of the Cosmological Principle. In this paper, we see the, positive, differential energy fluctuation, purely obtained from the general relativity cosmological solution in [3], leads to the quantum mechanical argument of the postulate in [3], provided this energy fluctuation is quantized, strongly supporting the postulate in [3]. I discuss the postulate in [3], showing the result for the energy fluctuation follows from a discreteness hypothesis.

1 To the Heisenberg Indeterminacy Relation

Recalling the eqn. (53) in [3], purely derived from the general relativity field equations under the cosmological context:

$$\delta E_\rho = \frac{E_0^+}{\sqrt{1 - \dot{R}^2/c^2}} \frac{\dot{R} \delta \dot{R}}{c^2}, \quad (1)$$

the δE_ρ , given by the eqn. (1), seems to be exclusively valid when $\delta \dot{R}$ is infinitesimal, since this expression is a first order expansion term, where we do tacitly suppose the vanishing of high order terms. But its form will remain valid in a case of finite variation, as derived in this paper, under the same conditions presented in [3]. The eqn. (1), in terms of indeterminacy, says:

- There is an indeterminacy δE_ρ , at a given t , hence at a given $R(t)$ and $\dot{R}(t)$, related to a *small* indeterminacy $\delta \dot{R}(t)$.

A given spherical shell within a t -sliced hypersurface of simultaneity must enclose the following indeterminacy, if the least possible infinitesimal continuous variation given by the field equations in [3], eqn.(1) here, presents discreteness, viz., if the δE_ρ cannot be an infinitesimal in its entire meaning, albeit maintaining its very small value, as a vanishingly small quantity, but reaching a minimum, reaching a discrete quantum of energy fluctuation,

$$\sum_{l=1}^k (\delta E_\rho)_l = \frac{E_0^+ \dot{R}/c^2}{\sqrt{1 - \dot{R}^2/c^2}} \Big|_t \sum_{l=1}^k (\delta \dot{R})_l. \quad (2)$$

The eqn. (2) is obtained from eqn. (1) by the summation over the simultaneous fluctuations within the spherical shell (since the quantum minimal energy is a spatially localized object, and the t -sliced spherical shell, a $R(t)$ -spherical subset

of simultaneous cosmological points pertaining to a t -sliced hypersurface of simultaneity, is full of cosmological substratum), where k denotes a partition, k fundamental fluctuating pieces of the simultaneous spacelike spherical shell within a t -sliced hypersurface. This sum gives the entire fluctuation within the shell. Since these pieces are within a hypersurface of simultaneity, they have got the same cosmological instant t . Hence, they have the same $R(t)$ and the same $\dot{R}(t)$ (points within the t -sliced spherical shell cannot have different $R(t)$, since $R(t)$ is a one-to-one function $R(t) : t \mapsto R(t)$, and does not depend on spacelike variables; the t -sliced spherical shell is a set of instantaneous points pertaining to a t -sliced hypersurface of simultaneity such that these points are spatially distributed over an t -instantaneous volume enclosed by a t -instantaneous spherical surface with radius $R(t)$), the reason why the summation index l does not take into account the common factor at the right-hand side of the eqn. (2). From eqn. (57) in [3], we rewrite the eqn. (2):

$$\sum_{l=1}^k (\delta E_\rho)_l = \frac{E_0^+ R_0^2}{R^3 \sqrt{1 - \dot{R}^2/c^2}} \Big|_t \sum_{l=1}^k (\delta R)_l. \quad (3)$$

Now, we reach the total instantaneous fluctuations within the spherical shell at the cosmological instant t , a sum of spacelike localized instantaneous fundamental fluctuations within the spherical shell, giving the total instantaneous fluctuation within this shell. Being the instantaneous spherical shell full of cosmological fluid at t , at each fundamental position within the spherical shell we have got a fundamental energy fluctuation with its intrinsic and fundamental quantum $R_0 = \sqrt{2Gh/c^3}$ of indeterminacy [3], an inherent spherically symmetric indeterminacy at each position within the t -sliced spacelike shell.

Hence, the total fluctuation is now quantized:

$$N_t \delta E_\rho = \frac{E_0^+ R_0^2}{R^3 \sqrt{1 - \dot{R}^2/c^2}} \Big|_{t} N_t R_0, \quad (4)$$

where N_t is the number of instantaneous fundamental domains, the number of fundamental fluctuations within the instantaneous spherical shell contained within a t -sliced hypersurface of simultaneity. Since R_0 is a fundamental quantum of local indeterminacy, the same R_0 is common to all the instantaneous spacelike points within the shell, the same $(\delta R)_t = R_0$ quantum of fluctuation at its respective point within the t -instantaneous spherical shell contained in a t -sliced surface of simultaneity for all the points in this shell, $\forall l$.^{*} But N_t is given by:

$$N_t = \frac{R^3}{R_0^3}. \quad (5)$$

Using the eqn. (5) in the eqn. (4), we obtain:

$$N_t \delta E_\rho = \frac{E_0^+}{\sqrt{1 - \dot{R}^2/c^2}}. \quad (6)$$

The eqn. (6) gives the total positive fluctuation within the t -instantaneous spherical shell, the result used in my postulate in [3]. Furthermore, comparing the eqns. (1) and (6), we see the infinitesimal relation given by the eqn. (1) is valid in the finite fluctuation process given by the eqn. (6), provided $\dot{R}\delta\dot{R} \approx c^2$, a result used in the appendix of [3] to obtain its eqn. (56).

The Heisenberg indeterminacy principle reads, for the entire fluctuation at a given t :

$$(N_t \delta E_\rho) \delta t = \frac{E_0^+ \delta t}{\sqrt{1 - \dot{R}^2/c^2}} \geq \frac{h}{4\pi}. \quad (7)$$

The increasing smearing out indeterminacy over the cosmological fluid, related to the primordial indeterminacy in virtue of the Universe expansion as postulated in [3]:

- The actual energy content of the universe is a consequence of the increasing indeterminacy of the primordial era. Any origin of a comoving reference frame within the cosmological substratum has an inherent indeterminacy. Hence, the indeterminacy of the energy content of the universe may create the impression that the universe has not enough energy, raising illusions as dark energy and dark matter speculations. In other words, since the original source of energy emerges as an indeterminacy, we postulate this indeterminacy continues being the energy content of the observational universe: $\delta E(t) = E^+(t) = E_0^+ / \sqrt{1 - \dot{R}^2/c^2}$,

follows from the increasing N_t , as one infers from the eqns. (5) and (7).

^{*}See [3]. We are in a context of validity of the Cosmological Principle.

Acknowledgments

A.V.D.B.A is grateful to Y.H.V.H and CNPq for financial support.

Submitted on June 21, 2011 / Accepted on June 21, 2011

References

1. Bondi H. *Cosmology*. Dover Publications, Inc., New York, 2010.
2. Bondi H. Negative mass in General Relativity. *Review of Modern Physics*, 1957, v.29 no. 3, 423–428.
3. Assis A.V.D.B. On the Cold Big Bang Cosmology. *Progress in Physics*, 2011, v.2 58–63.
4. Carroll S. *Spacetime and Geometry. An Introduction to General Relativity*. Addison Wesley, San Francisco, 2004.